

Test Certificate

Description: Perfect Type II
 Sample ID:
 Lot No: EO81907
 Location:
 Received: 11/26/2024
 Completed: 12/3/2024

Client: Paul Morelli
 Perfect Supplements
 P.O. Box 60070
 Florence, MA 01062

Lab No: 139869-08

Analysis	Result	Per Unit	Specifications	Method
Total Coliform	<3.0	MPN/g	Report	AOAC 966.24
Total Aerobic Microbial Count	<10	CFU/g	Report	USP <2021>
E. coli	Absent	per 10 grams	Report	USP <2022>
Staphylococcus aureus	Absent	per 10 grams	Report	USP <2022>
Salmonella spp.	Absent	per 10 grams	Report	USP <2022>
Total Yeast & Mold Count	<10	CFU/g	Report	USP <2021>
Yeast *	<10	CFU/g	Report	USP <2021>
Mold *	<10	CFU/g	Report	USP <2021>
Pseudomonas aeruginosa	Absent	per 10 grams	Report	USP <62>

*For informational purposes only.

THESE RESULTS APPLY ONLY TO THE SAMPLE SUBMITTED AND NOT TO THE PRODUCT FROM WHICH IT WAS TAKEN. THESE RESULTS ARE PROVIDED ONLY FOR THE BENEFIT OF CLIENT, WITHOUT REPRESENTATION OR WARRANTY OF ANY KIND, EXCEPT FOR THE EXPRESS LIMITED WARRANTY PROVIDED SOLELY TO CLIENT IN ADVANCED LABORATORIES' TERMS OF SERVICE.

THIS CERTIFICATE SHALL NOT BE REPRODUCED EXCEPT IN FULL, WITHOUT WRITTEN APPROVAL FROM ADVANCED LABORATORIES.

Results Approved By:



Hebah Boaj-Quality Tech

Dated:

12/3/2024

Tests marked with ‡ were done at Advanced Laboratories, Inc. - 40 W Louise Ave, Salt Lake City, UT 84115

Printed: 12/3/2024 2:37:32 PM

